

WHAT IS CLAIMED IS

1. A gene encoding cyclic lipopeptide acylase, which comprises the entirety or a part of the following (a), (b) or (c):
 - (a) a DNA consisting of the nucleotide sequence depicted in
5 SEQ ID No. 1
 - (b) a DNA capable of hybridizing with the DNA of the above-mentioned (a) under stringent conditions
 - (c) a DNA having at least (1) 60% identity, (2) 70%
10 identity, (3) 80% identity, (4) 90% identity or (5) 95%
identity with the nucleotide sequence depicted in SEQ
ID No. 1.
2. A gene encoding a protein of the following (a) or (b) or a part thereof:
 - 15 (a) a protein consisting of the amino acid sequence
depicted in SEQ ID No. 2
 - (b) a protein having an amino acid sequence involving
deletion, substitution or addition of one to several
amino acid(s) in the amino acid sequence (a), which
20 protein has a cyclic lipopeptide acylase activity.
3. A recombinant vector comprising the gene of claim 1 or 2.
4. An expression vector functionally comprising the gene of
25 claim 1 or 2.
5. A transformant obtained by transforming a host cell with the vector of claim 3 or 4.
- 30 6. A method of producing cyclic lipopeptide acylase, which comprises
culturing a host cell transformed with the expression
vector of claim 4, and
harvesting, from the obtained culture, cyclic lipopeptide

acylase capable of catalyzing a reaction to deacylate a side chain acylamino group of a cyclic lipopeptide substance into an amino group.

5 7. A cyclic lipopeptide acylase produced by the production method of claim 6.

8. A gene encoding cyclic lipopeptide acylase, which comprises the entirety or a part of the following (a), (b) or (c):

- 10 (a) a DNA consisting of a nucleotide sequence shown by nucleotide No. 1065 to 3359 in the nucleotide sequence depicted in SEQ ID No. 1
- (b) a DNA capable of hybridizing with the DNA of the above-mentioned (a) under stringent conditions
- 15 (c) a DNA having at least (1) 60% identity, (2) 70% identity, (3) 80% identity, (4) 90% identity or (5) 95% identity with the nucleotide sequence shown by nucleotide No. 1065 to 3359 in the nucleotide sequence depicted in SEQ ID No. 1.

20

9. A gene encoding a protein of the following (a) or (b):

- (a) a protein consisting of amino acid number from -1 or 1 to 765 in the amino acid sequence depicted in SEQ ID No. 2
- 25 (b) a protein having an amino acid sequence involving deletion, substitution or addition of one to several amino acid(s) in the amino acid sequence (a), which protein has a cyclic lipopeptide acylase activity.

30 10. A recombinant vector comprising the gene of claim 8 or 9.

11. An expression vector functionally comprising the gene of claim 8 or 9.

12. A transformant obtained by transforming a host cell with a vector of claim 10 or 11.

13. A method of producing cyclic lipopeptide acylase, which
5 comprises

culturing a host cell transformed with the expression
vector of claim 11, and
harvesting, from the obtained culture, cyclic lipopeptide
acylase capable of catalyzing a reaction to deacylate a
10 side chain acylamino group of a cyclic lipopeptide
substance into an amino group.

14. A cyclic lipopeptide acylase produced by the production
method of claim 13.

15

15. A cyclic lipopeptide acylase encoded by a DNA consisting
of a nucleotide sequence shown by nucleotide No. 1065 to 3359
in the nucleotide sequence depicted in SEQ ID No. 1.

20 16. A cyclic lipopeptide acylase which is encoded by a DNA
having at least (1) 60% identity, (2) 70% identity, (3) 80%
identity, (4) 90% identity or (5) 95% identity with the
nucleotide sequence shown by nucleotide No. 1065 to 3359 in
the nucleotide sequence depicted in SEQ ID No. 1.

25

17. A protein of the following (a) or (b):

(a) a protein consisting of amino acid No. -1 to 200 in the
amino acid sequence depicted in SEQ ID No. 2

(b) a protein having an amino acid sequence involving
30 deletion, substitution or addition of one to several
amino acid(s) in the amino acid sequence (a), which
protein forms a complex with the protein of the
following (c) or (d) to show a cyclic lipopeptide
acylase activity:

- (c) a protein consisting of amino acid No. 201 to 765 in the amino acid sequence depicted in SEQ ID No. 2
 - (d) a protein having an amino acid sequence involving deletion, substitution or addition of one to several amino acid(s) in the amino acid sequence (c), which protein forms a complex with the polypeptide of the above-mentioned (a) or (b) to show a cyclic lipopeptide acylase activity.
- 10 18. A protein of the following (c) or (d):
- (c) a protein consisting of amino acid No. 201 to 765 in the amino acid sequence depicted in SEQ ID No. 2
 - (d) a protein having an amino acid sequence involving deletion, substitution or addition of one to several amino acid(s) in the amino acid sequence (c), which protein forms a complex with the protein of (a) or (b) below to show a cyclic lipopeptide acylase activity:
- (a) a protein consisting of amino acid number from -1 or 1 to 200 in the amino acid sequence depicted in SEQ ID No. 2
 - (b) a protein having an amino acid sequence involving deletion, substitution or addition of one to several amino acid(s) in the amino acid sequence (a), which protein forms a complex with the protein of the above-mentioned (c) or (d) to show a cyclic lipopeptide acylase activity.
19. A DNA encoding the protein of claim 17.
- 20 20. A DNA encoding the protein of claim 18.
21. A recombinant vector comprising at least one of claim 19 and claim 20.

22. An expression vector comprising at least one of claim 19 and 20.

23. A transformant obtained by transforming a host cell with the vector of claim 21 or 22.

24. A method of producing cyclic lipopeptide acylase, which comprises

10 culturing a host cell transformed with the expression vector of claim 22, and harvesting, from the obtained culture, cyclic lipopeptide acylase capable of catalyzing a reaction to deacylate a side chain acylamino group of a cyclic lipopeptide substance into an amino group.

15

25. A cyclic lipopeptide acylase produced by the production method of claim 24.

26. A method for deacylating a side chain acylamino group of a cyclic lipopeptide substance into an amino group, which method comprising culturing a host cell transformed with the expression vector of claim 4, 11 or 22, and bringing the cyclic lipopeptide substance into contact with the obtained culture or a treated product thereof.

25